

Rathbone Broadcast Batteries, LLC., Lithium Ion Battery Charger Specification Sheets

RBLi-OTR1XG: G Mount

RBLI-OTR1XV: V Mount

1 channel portable li-ion battery charger for:

RBLi-BP95GM, RBLi-BP130GM, RBLi-BP160GM, RBLi-BP200GM Rathbone Gold Mount Series Batteries

RBLi-BP95VM, RBLi-BP130VM, RBLi-BP160VM, RBLi-BP200VM V Mount Series Batteries



RBLi-OTR2G FREE with Specially Priced Battery Package Deals!

Rathbone Broadcast Batteries *On The Run* 2X Simultaneous Gold Mount Battery Charger for Rathbone Gold Mount Lithium Ion Batteries. Built in Power Supply.

Item No.:RBLi-OTR2G

2-Bays Simultaneous Gold-mount Charger

Channels: 2X

Input AC:90-240V AC, 47-63Hz

Output Charging Terminals 1-2: 16.8V 2.5A

Output DC:15V4.0A

Size: 231 (L) X 141 (W) X 60.5 (D)mm

Weight:1.0kg

Suggest operating temp:-10-35°C

With AC Adapter function, this charger is designed to recharge Gold mount broadcast camcorder Li-ion battery packs from Rathbone.

Worldwide operation

FREE with the purchase of certain battery package deals. GO to www.rathboneenergy.biz for Special Pricing and detail in Current On-Line Specials. For Rathbone Battery Models: RBLi-BP95GM, RBLi-BP130GM, RBLi-BP160GM, RBLi-BP200GM Rathbone Gold Mount Series Batteries NOT for use with Original Anton Bauer Brand DIONIC 90 or 160

Rathbone Broadcast Batteries, LLC., Lithium Ion Battery Charger Specification Sheets



RBLi-OTR4G **FREE** with Specially Priced Battery Package

Deals!

Rathbone Broadcast Batteries *On The Run* 4X Simultaneous Gold Mount Battery Charger for Rathbone Gold Mount Lithium Ion Batteries. Built in Power Supply.

Item No.:RBLi-OTR4G

4-Bays Simultaneous Gold-mount Charger

Charging Channel: 4X

Input AC: 90-240V AC, 47-63Hz

Output Charging Terminals 1-2: 16.8V2.5A

Output DC: 15V4.5A

Size: 231 (W) X 141 (H) X 104 (D)mm

Weight: 2.7kg

Suggest operating temp: -10-35°C

With AC Adapter function, this charger is designed to recharge Gold mount broadcast camcorder Li-ion battery packs.

Worldwide operation

\$540.00

FREE with the purchase of certain battery package deals. GO to www.rathboneenergy.biz for **Special Pricing** and detail in Current On-Line Specials. For Rathbone Battery Models: RBLi-BP95GM, RBLi-BP130GM, RBLi-BP160GM, RBLi-BP200GM Rathbone Gold Mount Series Batteries.

NOT for use with Original Anton Bauer Brand DIONIC 90 or 160

Rathbone Broadcast Batteries, LLC., Lithium Ion Battery Charger Specification Sheets



RBLi-OTR2V

Rathbone Broadcast Batteries *On The Run 2X Simultaneous* V Mount Battery Charger for V Mount Lithium Ion Batteries. **Built in Power Supply.**

Item No.:RBLi-OTR2V

2-Bays *Simultaneous* V-mount Charger

Channel: 2

Input AC:90-240V AC, 47-63Hz

Output Charging Terminals 1-2: 16.8V2.5A

Output DC:15V4.0A

Size:231 (L) X 141 (W) X 60.5 (D)mm

Weight:1.0kg

Suggest operating temp:-10-35°C

With AC Adapter function, this charger is designed to recharge V mount broadcast camcorder Li-ion battery packs

worldwide operation

Compatible with IDX, Sony, VariZoom, and Generic V Mount Lithium Ion Batteries.



RBLi-OTR4V

Rathbone Broadcast Batteries *On The Run 4X Simultaneous* V Mount Battery Charger for V Mount Lithium Ion Batteries. **Built in Power Supply.**

Item No.:RBLi-OTR4V

4-Bays *Simultaneous* V-mount Charger

Channel:4

Input AC:90-240V AC, 47-63Hz

Output Charging Terminals 1-2: 16.8V2.5A

Output DC:15V4.5A

Size:231 (W) X 141 (H) X 104 (D)mm

Weight:2.7kg

Suggest operating temp:-10-35°C

With AC Adapter function, this charger is designed to recharge V mount broadcast camcorder Li-ion battery packs.

worldwide operation

\$540.00

Compatible with IDX, Sony, VariZoom, and Generic V Mount Lithium Ion Batteries.

Rathbone Broadcast Batteries, LLC., Lithium Ion Battery Charger Specification Sheets

Ron L Rathbone
Rathbone Broadcast Batteries, LLC.
sales@rathbonebroadcastbatteries.com

865-484-1783 Sales